

How to Install your new Water Fountain

Requirements: you will need an electrical supply within 2 meters of the bubbler and access to a waste pipe & drainage.

Remove all packaging and place your Fountain in the desired position.

Step 1; Remove front cover, to do this ensure that you turn the dial on the panel to the horizontal position and lift off the location pins.



Using the compression fitting provided, connect to your water source as follows:


Step 2; Using the plumbing fitting provided connect to the mains as pictured below.




Step 3, Push fit the desired amount of flexi-pipe.



Step 4; Push in the grey connector into the back of the machine.



Step 5; Push the flexi-pipe through the hole in the back of the machine.



Step 6; Fit the black lever onto the tap base.






Step 7; Fit tap to machine.



Step 8; To ensure that the tap may not be removed from the machine, tighten the grub screw with an Allen Key.



Step 9; Fix the waste using one of the 2 methods below:


Method 1 Ubend

Pull out the green pipe and push through the hole at the back of the machine, then drop into the ubend as shown.



Method 2 Snap on waste (using kit provided)

Using the connectors supplied fit waste as shown to the waste pipe. Punch hole in waste pipe using the fitting supplied. Secure connection to the green pipe using a Jubilee Clip.





NOTE: Your filter is already installed in the bubbler

Step 10; Run the water through the bottle filler into the plug hole for two minutes. This will prime the filter and will allow you to check for leaks in the waste outlet.

Step 11; Once you have flushed the filter for a minimum of two minutes adjust the chilled water to the desired temperature by the dial inside the front cover (replace the front cover and turn the dial on the panel to the vertical position)



WaterCoolers Direct.com Ltd offer this set of instructions as 'Guidance Only'. Therefore, WaterCoolers Direct.com Ltd and its employees or representatives cannot be held responsible for any work carried out by YOU and/or ANY third party using the instructions either in writing or over the telephone via the HelpDesk.